

# CONSTRUCTION PERMIT

OFFICE OF AIR MANAGEMENT

Page 1 of \_\_13

Control No. 0144

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
100 North Senate
P.O. Box 6015
Indianapolis, Indiana 46206-6015

**EXHIBIT 1** 

ELI LILLY AND COMPANY 1555 S. KENTUCKY AVENUE INDIANAPOLIS, INDIANA

is hereby authorized to construct

two pilot plant modules E and F, and portable equipment associated with the pilot plant. Furthermore, pursuant to 326 IAC 8-1-5, this Construction Permit will authorize Eli Lilly and Company to comply with 326 IAC 8-5-3 through alternative control requirements on the new and existing equipment in the pilot plant in Building 110.

#### NEW EQUIPMENT:

	500 Gallons Glass Lined Reactor	D/E
	300 Gallons Glass Lined Reactor	D/E
	200 Gallons Hastelloy Reactor	D/E
	100 Gallons Hastelloy Reactor	D/E
(	100 Gallons Glass Lined Removable Reactor	D/E
	100 Gallons Glass Lined Removable Reactor	D/E

(Continued)

THIS PERMIT IS ISSUED UNDER PROVISIONS OF 326 IAC 2-1 AND 40 CFR 52.780, WITH CONDITIONS LISTED ON THE ATTACHED PAGES.

THIS PERMIT SUPERSEDES ALL PREVIOUS PERMITS ISSUED BY INDIANAPOLIS AIR POLLUTION CONTROL SECTION ASSOCIATED WITH THE EQUIPMENT COVERED BY THIS PERMIT.

Date Issued JUL

Issued by \_

Tex L

Commission

State Form 37080 R

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

# NEW EQUIPMENT:

Unit ID	Unit Description	Location:
	Vacuum Shelf Dryer	Wing/Module
	Vacuum Chelf Dryer	D/E
	Vacuum Shelf Dryer	D/E
7.	Agitated Filter/Dryer	Portable
	PSE Catch Tank	D/E
	CIP System Mill	Portable
		Portable
	Blender	Portable
	Floor Collection Tank	D/E&F
	500 Gallons Glass Lined Reactor	D/F
	300 Gallons Glass Lined Reactor	D/F
	200 Gallons Hastelloy Reactor	D/F
	1100 Gallons Hastellov Reactor	D/F
	100 Gallons Glass Lined	D/F
· · · · · · · · · · · · · · · · · · ·	Removable Reactor	
	100 Gallons Glass Lined	D/F
	Removable Reactor	
	Vacuum Shelf Dryer	D/F
	Vacuum Shelf Dryer	D/F
	Agitated Filter/Dryer	Portable
	PSE Catch Tank	D/F
	CIP System	Portable
	50 Gallons Hastelloy Reactor	D/30 Gal-A
	130 Gailons Hastellov Reactor	D/30 Gal-B
	30 Gallons Glass Lined Reactor	D/Cal D
	110 Single Plate Filter (Hastellow)	Dombal 1
	Jingle Place Filter (Hactalla:)	Portable
	113 Gallons Evaporator	D/30 Gal-A
	50 Gallons Hastellov Reactor	C/Portable
	50 Gallons Hastellov Reactor	C/Portable
	50 Gallons Hastellov Reactor	C/Portable
	50 Gallons Glass Lined Reactor	
	50 Gallons Glass Lined Reactor	C/Portable
	50 Gallons Glass Lined Reactor	C/Portable
	20 Callana W	C/Portable
	30 Gallons Hastelloy Reactor Reactor	C/Portable
	20 6-11	C/Portable
	30 Gallons Hastelloy Reactor 30 Gallons Glass Lined Reactor	C/Portable
	20 - 11	C/Portable
	30 0-11	C/Portable
	E Callan in the Reductor	C/Portable
	5 0-11-	C/Portable
	5 Gallons Hastelloy Reactor	C/Portable

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

## NEW EQUIPMENT:

Unit Description	Location:
	Wing/Modul
5 Gallons Hastelloy Reactor	C/Portable
5 Gallons Glass Lined Reactor	C/Portable
5 Gallons Glass Lined Reactor	C/Portable
5 Gallons Glass Lined Reactor	C/Portable
Vacuum Shelf Dryer	C/Portable
Rotary Vacuum Dryer	C/Portable
Centrifuge	C/Portable
	Portable
16" Single Plate Filter (Wastellow)	Portable
16" Single Plate Filter (Hastellow)	Portable
Agitated Filter/Dryer	Portable
Unit 93 Syltherm Cooling System	C-Wing
Walk-in hood	E E
	E
	E
	E
	E
	E
	F
	F
	F
	F
	F
Walk-in hood	F
	5 Gallons Hastelloy Reactor 5 Gallons Glass Lined Reactor 5 Gallons Glass Lined Reactor 7 Gallons Glass Lined Reactor 8 Gallons Glass Lined Reactor 9 Vacuum Shelf Dryer 16 Single Plate Filter (Hastelloy) 16 Single Plate Filter

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

Unit ID	Unit Description	Location: Wing/Module
T-11	100 Gallons. Hastelloy Reactor	D/A
T-12	100 Gallons Stainless Reactor	D/A
T-13	200 Gallons Glass Lined Reactor	D/A
T-14	200 Gallons. Hastelloy Reactor	D/A
T-15	100 Gallons. Glass Lined Reactor	D/A
T-16	300 Gallons. Glass Lined Reactor	D/A
T-21	50 Gallons Glass Lined Reactor	D/B
T-22	100 Gallons Glass Lined Reactor	
T-23	100 Gallons Stainless Reactor	D/B
T-24	50 Gallons Glass Lined Reactor	D/B
T-25	200 Gallons Glass Lined Reactor	D/B
T-26	200 Callena Cl : : -	D/B
T-31	TOUCOL MONOCOL	D/B
T-32	Dearnies SteerReactor	D/C
T-33	Tined Reactor	D/C
T-34	Dined Reactor	D/C
T-35	100 Gallons Stainless SteelReactor	
	200 Gallons Stainless SteelReactor	D/C
T-36	200 Gallons Glass Lined Reactor	D/C

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

Unit ID	Unit Description	Location:
T-41	200 0 10	Wing/Module
T-42	200 Gallons Glass Lined Reactor	D/D
T-43	100 Gallons Glass Lined Reactor	D/D
T-44	300 Gallons Glass Lined Reactor	D/D
T-45	200 Gallons Glass Lined Reactor	D/D
T-46	300 Gallons Glass Lined Reactor	D/D
T-61	300 Gallons Glass Lined Reactor	D/D
T-62	30 Gallons Glass Lined Reactor	D/30 Gal-A
T-63	30 Gallons Glass Lined Reactor	D/30 Gal-A
VSD181	30 Gallons Glass Lined Reactor	D/30 Gal-B
TDU182	Vacuum Shelf Dryer	D/A
TDU183	Air Tray Dryer	D/A
VSD281	Air Tray Dryer	D/A
TDU282	Vacuum Shelf Dryer	D/B
the same of the last of the la	Air Tray Dryer	D/B
TDU283 VSD381	Air Tray Dryer	D/B
	Vacuum Shelf Dryer	D/C
TDU382	Air Tray Dryer	D/C
TDU383	Air Tray Dryer	D/C
VSD481	Vacuum Shelf Dryer	D/D
TDU482	Air Tray Dryer	D/D
TDU483	Air Tray Dryer	D/D
VSD686	Vacuum Shelf Dryer	D/30 Gal-B
VSD696	Vacuum Shelf Dryer	D/30 Gal-A
VSD781	Vacuum Shelf Dryer	Solids Cont
FH1	24" Single Plate Filter (S.S)	Portable
FH2	36" Single Plate Filter (S.S)	Portable
FH3	36" Single Plate Filter (S.S)	Portable
FH4	36* Single Plate Filter (Hastellov)	Portable
FH6	24 Single Plate Filter (Glass Lined)	Portable
FH7	124" Single Plate Filter (Hastellov)	Portable
FH8	36" Single Plate Filter (S.S)	Portable
FH9	24" Single Plate Filter (S.S)	Portable
FH10	36" Single Plate Filter (Hastellov)	Portable
FH11	136" Single Plate Filter (Hastelloy)	Portable
FH12	16" Single Plate Filter (Hastelloy)	Portable
FH13	30* AgitatedFilter/Dryer(Hastelloy)	Portable
FH14	24* Single Plate Filter (Hastelloy)	Portable
FH16	16" Single Plate Filter (Hastelloy)	Portable
FS21	8 Multi-Plate Filter (S.S)	Portable
rs22	12" Multi-Plate Filter (S.S)	Portable
rs23	18 * Multi-Plate Filter (S.S)	Portable
rs24	18" Multi-Plate Filter (Hastelloy)	Portable
rs25	18* Multi-Plate Filter (S.S)	Portable

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

Unit ID	Unit Description	Location: Wing/Module
FS26	8 Multi-Plate Filter (S.S)	Portable
FS27	8" Multi-Plate Filter (Hastelloy)	Portable
FS28	12" Multi-Plate Filter (Hastellov)	Portable
FS29	18 Multi-Plate Filter (Hastelloy)	Portable
RC83	Distillate Receivers	Portable
GR82	Fitzmill Grinder	Torcapie
GR86	Fitzmill Grinder	
GR87	Quatro Mill	
VBD500	Plow Blender	
PC991	Petchrom Column -	D/High Bay
PC993	Distillation Column	C/
LTB99	Low Temp. Bath	Portable
	Acetone System -	FOLCADIE
	4000 gallon acetone storage tank	
	Waste Solvent System -	
	7,500 gallon waste solvent tank	
	MAce Cooling System	C/
	Dowtherm J System	D'/
PF9093 .	8 gal TFE-lined can (S.S)	Portable
PF9094	8 gal TFE-lined can (S.S)	Portable
PG40	40 L Glass-lined tank	Portable
PG41	40 L Glass-lined tank	Portable
PG 44	110 L Glass-lined tank	Portable
PG 45	110 L Glass-lined tank	Portable
PG 46	110 L Glass-lined tank	Portable
PG 47	120 L Glass-lined tank	Portable
PG 48	180 L Glass-lined tank	Portable
PG 49	180 L Glass-lined tank	Portable
PG 50	180 L Glass-lined tank	Portable
PG 51	110 L Glass-lined tank	Portable
PG 52	110 L Glass-lined tank	Portable
PG 9024	15 gal Glass-lined tank	Portable
PG 9025	15 gal Glass-lined tank	THE RESIDENCE PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM
PG 9026	15 gal Glass-lined tank	Portable
PG 9027	15 gal Glass-lined tank	Portable
PG 9028	50 gal Glass-lined tank	Portable
PG 9029	50 gal Glass-lined tank	Portable Portable
	Too gat Grass Trued Cank	rortable
PG 9081	5 gal Glass-lined tank	Portable

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

## EXISTING EQUIPMENT:

Unit ID	Unit Description	Location:
PH 9114	9 gal Washallan C.C.	Wing/Module
PH 9115	8 gal Hastelloy C Can	Portable
PH 9116	8 gal Hastelloy C Can	Portable
PH 9117	8 gal Hastelloy C Can	Portable
PH 9118	8 gal Hastelloy C Can	Portable
PH 9119	8 gal Hastelloy C Can	Portable
PH 9119	8 gal Hastelloy C Can	Portable
PH 9121	8 gal Hastelloy C Can	Portable
PS 70	8 gal Hastelloy C Can	Portable
PS 9001	180 L tank (S.S)	Portable
PS 9002	13 gal tank (S.S)	Portable
PS 9002 PS 9003	62 gal tank (S.S)	Portable
THE RESERVE AND ADDRESS OF THE PERSON NAMED IN COLUMN 2 IS NOT THE	62 gal tank (S.S)	Portable
PS 9004	62 gal tank (S.S)	Portable
PS 9005	62 gal tank (S.S)	Portable
PS 9006	62 gal tank (S.S)	Portable
PS 9007	62 gal tank (S.S)	Portable
PS 9008	62 gal tank (S.S)	Portable
PS 9009	62 gal tank (S.S)	Portable
PS 9010	55 gal tank (S.S)	Portable
PS 9011	55 gal tank (S.S)	Portable
PS 9012	55 gal tank (S.S)	Portable
PS 9013	55 gal tank (S.S)	Portable
PS 9014	55 gal tank (S.S)	Portable
PS 9015	55 gal tank (S.S)	Portable
PS 9016	55 gal tank (S.S)	Portable
PS 9017	55 gal tank (S.S)	Portable
PS 9018	55 gal tank (S.S)	Portable
PS 9019	55 gal tank (S.S)	Portable
PS 9030	55 gal tank (S.S)	Portable
PS 9039	8 gal tank (S.S)	Portable
PS 9041	8 gal tank (S.S)	Portable
PS 9042	8 gal tank (S.S)	Portable
PS 9046	5.2 gal tank (S.S)	Portable
PS 9049	8 gal tank (S.S)	Portable
PS 9050	8 gal tank (S.S)	Portable
PS 9052	8 gal tank (S.S)	Portable
PS 9065	55 gal tank (S.S)	Portable
PS 9066	55 gal tank (S.S)	Portable
PS 9073	5 gal tank (S.S)	Portable
PS 9074	12 gal tank (S.S)	Portable
PS 9075	12 gal tank (S.S)	Portable
PS 9079	16 gal tank (S.S)	Portable

· which

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

Unit ID	Unit Description	Location:
PS 9080	5 gal tank (S.S)	Wing/Module
PS 9087	20 gal tank (S.S)	Portable
PS 9088	5 gal tank (S.S)	Portable
FH 112A	Walk-in hood	Portable
FH 112B		SCM Process
FH 53A	Walk-in hood	SCM Cleanup
FH 53B	Walk-in hood	30 gal A/1
	Walk-in hood	30 gal A/2
FH 54A	Walk-in hood	30 gal B/1
FH 54B	Walk-in hood	30 gal B/2
FH 55A	Walk-in hood	D/1
FH 55B	Walk-in hood	D/2
FH 55C	Walk-in hood	
FH 56A	Walk-in hood	D/3
FH 56B	Walk-in hood	B/1
FH 56C	Walk-in hood	B/2
FH 57A	Walk-in hood	B/3
FH 57B	Walk-in hood	A/1
FH 57C	Walk-in hood	A/2
TH 58A	Walk-in hood	A/3
TH 58B		C/1
TH 58C	Walk-in hood	C/2
7H 72	Walk-in hood	C/3
	Walk-in hood	Clean-up roo
TH 106	Walk-in hood	C-Wing

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

#### Construction Conditions

- That the data and information supplied with the application shall be considered part of this permit. Prior to any proposed change in construction which may affect potential emissions, this change must be approved by the Office of Air Management (OAM).
- That this permit to construct does not relieve the permittee of the responsibility to comply with the provisions of the Indiana Department of Environmental Management Law (IC 13-7), Air Pollution Control Law (IC 13-1-1) and the rules promulgated thereunder, as well as other applicable local, state, and federal requirements.
- 3. That the equipment shall be installed in accordance with the manufacturer's specifications, and as stated in the application.
- 4. That pursuant to 326 IAC 2-1-9(b) the commissioner may revoke this permit if construction is not commenced within eighteen (18) months after receipt of this approval or if construction is discontinued for a period of one (1) year or more.
- That pursuant to Indianapolis Air Pollution Control Board Regulation IX-1, this Construction Permit shall serve as a temporary operating permit until such time as a valid operating permit is either issued or denied by the Indianapolis Air Pollution Section (IAPCS), provided:
  - a) Lilly submits written notification to the IAPCS of the anticipated initial start-up date of the new facilities not more than sixty nor less than thirty days prior to such date;
  - b) Lilly submits written notification to the IAPCS of the actual initial start-up date of the new facilities within fifteen days after such date: and
  - c) Lilly submits an application for an operating permit to the IAPCS within 180 days after operation of all the new facilities constructed under this permit.

The operation permit issued by the IAPCS shall contain as minimum the conditions in the operation conditions of this permit.

6. That when the facility is constructed and placed into operation the following operation conditions shall be met:

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

#### Operation Conditions

- That the data and information supplied in the application shall be considered part of this permit. Prior to any change in the operation which may result in an increase in potential emissions exceeding those specified in 326 IAC 2-1-1, this change must be approved by the Office of Air Management (OAM).
- 2. That the permittee shall comply with the provisions of the Indiana Environmental Management Law (IC 13-7), Air Pollution Control Law (IC 13-1-1) and the rules promulgated thereunder.
- 3. That the equipment shall be operated and maintained in accordance with the manufacturer's specifications.
- 4. That pursuant to 326 IAC 8-1-5 and 326 IAC 8-5-3 the following shall be met:
  - a) volatile organic compound (VOC) emissions from pilot plant in Building 110 shall be limited to 19.01 tons/year based on a twelve month average rolled on a monthly basis.
    - b) volatile organic compound (VOC) emissions from each facility covered under 326 IAC 8-1-5 shall be limited to 15 pounds per day/33 pounds per day based on calender month average.

For purposes of determining compliance with the daily emission limit for each facility, Lilly may calculate emissions using the following methods:

- 1. Using monthly mass balance data for each module to prorate a portion of the total emissions from the module to each facility.
- 2. Calculating emissions from solvent and waste solvent storage tanks using equations in section 4.3 of AP-42.
- 3. When a portable emitting facility operates independently of any stationary emitting facility and vents emissions separately from any stationary emitting facility, then the emissions from that portable facility shall be attributed to that portable facility. When a portable emitting facility is connected to and operates in conjunction with any stationary emitting facility and the emissions from portable facility are vented with the emissions from the stationary facility, the emissions from the portable facility shall be attributed to the stationary facility.
- c) the primary reactor condensers will operate during reactor venting, material transfer, distillation, and storage of filtrates in reactors which are transferred from the filters. The primary reactor condensers working fluid inlet temperature will be 10

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

degrees C or colder for mixtures that will not freeze at - 10 degrees C (includes most non-aqueous streams).

- d) the working fluid temperature at the inlet and outlet of the primary reactor condensers shall be recorded while the condensers are in operation.
- e) any startup, shutdown, or malfunction period causing excessive emissions shall be recorded. The records shall include the start time, end time, and the estimated quantity of excess emissions emitted during the occurrence.
- 5. That a log of information necessary to document compliance with condition no.4, shall be maintained. These records shall be kept for at least the past 24 month period and made available upon request to the Office of Air Management. A quarterly summary shall be submitted to:

Environmental Resources Management Division Air Pollution Control Section Enforcement Branch, Enforcement Manager 2700 South Belmont Avenue Indianapolis, Indiana 46221

within 60 days after the end of the quarter. The volatile organic compounds (VOC) emissions shall be reported in the format attached.

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

# Indianapolis Air Pollution Control Section Quarterly Solvent Usage Report

sil Lilly and Company	Facili	ty I.D. : Pil	lot plant
Indianapolis, Indiana	Construction Pe	ermit No. : CP	097-3341
Pollutant: VOC		Plt ID No.:	097-00072
Limit	(tons per 12 month	period) : 19	.01 tons
Monthly Emission Dat	a		
Year:			
Month	No. of Batches Processed	Tons VOC Emitted this Month*	Tons VOC Emitted in Last 12 Months
	<del></del>		
* Production reco recorded and subm	rds which complies with itted with report.	this emission limi	ts should be
	Submitted By:		
	Date Submitted:		

CP 097-3341 Plt ID 097-00072 Review Engineer: T.P.Sinha

# Indianapolis Air Pollution Control Section

Quarterly Solvent Usage Report

Eli Lilly and Company

Pilot plant/Building 110

Indianapolis, Indiana

Construction Permit No. : CP 097-3341

Pollutant: VOC

P1t ID. : ID 097-00072

Limit (Daily Average ) : 15 lbs/day or 33 lbs/day

Year

Facility ID	Month	Month	Month
	(lb/day)	(1b/day)	(lb/day)
			· ·

#### Notes:

- 1. Production records which complies with this emission limits should be recorded and submitted with report.
- 2. Average daily VOC emissions should be calculated using monthly mass balance information and CTG equations apportioned to individual facilities and averaged over the month.

Submi	itted	By:				
Date	Submi	itted	1:			

Mail to:

Indianapolis Air Pollution Control Section Enforcement Branch, Enforcement Manager 2700 South Belmont Avenue

2700 South Belmont Avenue Indianapolis, Indiana 46221

Eli Lilly and Company 1555 S.Kentucky Avenue Indianapolis, Indiana

# Affidavit of Construction

I hereby certify that Eli Lilly and Company has constructed the two modules E and F, and several portable equipment associated with the pilot plant in Building 110 in accordance with the intent of the construction permit application submitted to the Office of Air Management, Indiana Department of Environmental Management, Indianapolis, Indiana on October 27, 1993 and as permitted pursuant to Construction Permit No. 097-3341, Plt ID No. 097-00072 issued on

signature						
name	and	title	(typed	or	printed)	
date						

#### Page 1 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana

CP 097-3341 Plt. ID 097-00072 Review Engineer: Dr. T.P.Sinha

#### ECONOMIC ANALYSIS

PART I

Economic Feasibility for Control Technologies for Modules A to D in Building 110

## 1A. Condensation Control Technology

HAP heat content: HAP heat content: 17,000 Btu/lb Molecular weight of HAP, Mwhap: 70.87
Emission Stream Flow, Qea: 10.0 acfm
Emission Stream Flow, Qe: 10.0 scfm Stream Pressure, P: Stream Temperature, Te: Air Pollution, HAP: Air Pollution, nar.
Maximum HAP conc., HAPe: Removal efficiency, RE: Heat Transfer Coefficient, U: System Pressure Drop, P: Temperature for 1 mm Hg vapor pressure Temperature for 100 mm Hg vapor pressure Operating hours/year, HRS: Heat exchanger efficiency, HR: 95%
System pressure drop. Psvs: 5.0 System pressure drop, Psys: Coolant pump motor efficiency, n: 0.65
Peak/Average Flow Ratio: 1.0 scfm/scfm Peak/Average Flow Ratio: 1.0 scfm/sc Minimum coolant velocity: 3.0 ft/sec Coolant tube diameter: Coolant specific heat:

Coolant specific gravity, Sg:
Coolant liquid cost, US\$cool:

Auxiliary equipment cost, AEC:
(Fan, ductwork, stack & decorated and specific gravity, Sg:
7.48 lb/gal
\$7.6/gal
\$99,500 Cost of Building, Bldg: Cost of site preparation, SP: Electricity cost, U\$elect:

17,000 Btu/lb
70.87
10.0 acfm
10.0 scfm
1 atm
77°F
VOC
185034 ppmv
96.3%
20.0 Btu/hr-ft²-°F
5.0 inches
-54.6°F

67.9°F

2,560 hours
95%
5.0 inches
n: 0.65
1.0 scfm/scfm
3.0 ft/sec
0.375 inches
0.65 Btu/lb-°F
7.48 lb/gal
\$7.6/gal
\$7.6/gal
\$7.6/gal
\$7.6/gal
\$99,500
r)

\$0.0
\$0.0
\$0.059/kwh
From Table 4.6-7,
\*358.6/340.1

#### Page 2 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana CP 097-3341

Plt. ID 097-00072

Review Engineer: Dr. T.P.Sinha

Operating labor cost:

\$30.o/hr

From Table 4.3-6,

\*358.6/340.1

Maintenance labor cost:

\$30.o/hr

From Table 4.3-

6, \*358.6/340.1

Refrigerator efficiency, Ef:

65 percent

Calculate Ppartial pressure of HAP in outlet stream:

Ppartial

= 760 \* (1-0.01RE) / (1-RE\*1.0E-08\*HAPe) \*HAPe\*1.0E-06

= 6.33 mmHg

Condensation Curve Xint,

 $X_{int} = 1/(X_{int} + 460)$ = 0.00247 (1/Deg R)

Condensation curve slope,

CSI =  $-(1/(T_{con 100mm Hg} + 460)) + Xint/2$ = 0.00029 R mm Hg

Calculate Tcon

=  $1/[(X_{int} - CSI*LOG(P_{vapor})) - 460]$ 

 $(-25.04 \, ^{0}F) = -13.1 \, ^{0}F$ 

Composition of Coolant:

DOWTHERM

IF  $T_{con} > 60$ , WATER

IF 45 < Tcon > 60, CHILLED WATER

IF  $-30 < T_{con} > 45$ , DOWTHERM IF Tcon < -30, FREON.

Moles HAP in

= Qe/392 \* HAPe \* 1.0E-06

inlet emission

stream/min, HAPem = 0.00472 lb-moles/min

= Qe/392 \* (1- HAPe \* 1.0E-06) \*  $P_{vapor}$  / (Pe- $P_{vapor}$ ) Moles HAP in in outlet emission stream/min, HAPem = 0.00017 lb-moles/min

Moles HAP condensed/min,

= HAP<sub>em</sub> - HAP<sub>om</sub>

HAPcon = 0.00455 lb-moles/min

#### Page 3 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana

CP 097-3341 Plt. ID 097-00072

Review Engineer: Dr. T.P.Sinha

Heat of vaporization

at T<sub>con</sub>, dH

= 709 Btu/lb-mole

HAP avg', spec.

heat for temp

Tcon to Te,  $CP_{hap} = 10.84 \text{ Btu/ lb-mole-}^{\circ}F$ 

Enthalpy change

of condensed HAP =  $HAP_{con}$  [dH +  $CP_{hap}*(Te - Tcon)$ ]

= 7.66 Btu

Enthalpy change

of air,  $H_{\text{noncond}} = [(Qe/392) - HAP_{\text{em}}] CP_{\text{air}} (Te -T_{\text{con}})]$ 

= 13.20 Btu

Condenser heat

load

= 1.1 \* 60 \* (H<sub>con</sub> + H<sub>noncon</sub>)

= 1377 Btu/hr

Coolant input

temperature,  $T_{cooli} = T_{con} - 15$ 

 $= -28.1^{\circ}$ F

Coolant output

temperature,  $T_{coolo} = T_{cooli} + 25$ = -3.1°F

Log mean

temperature

difference,  $DT_{lm} = (Te - T_{coolo} - 15)/LN ((Te - T_{coolo})/15)$ 

 $= 38.9^{\circ}F$ 

Area of

condenser,  $A_{con}$ = H<sub>load</sub> \* (PkFlow/AvgFlow)/(U\*DTlm) = 1.77 ft<sup>2</sup>

Average specific

heat of coolant,

 ${\rm CP}_{\rm coolant}$  $= 0.65 \text{ Btu/lb-}^{\circ}\text{F}$ 

Coolant flow

rate, Q<sub>cool</sub> = MAX( $H_{load}$  /( $CP_{coolant}$ ( $T_{coolo}$  -  $T_{cooli}$ ),  $F_{min}$  \*

\*  $Td^2 *D_{ens} * 7.48 gal/ft^3 * 3 * 3600 sec/hr)$ 

#### Page 4 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana

CP 097-3341 Plt. ID 097-00072 Review Engineer: Dr. T.P.Sinha

1 mm 1 mm

= 590 lb/hr

Total coolant

required, Qctot = 200 gal (Estimated)

Refrigeration

capacity, Ref = H<sub>load</sub> \* (PkFlow/AvgFlow)/12000

= 0.11 tons

Recovered

product, Qrec = 60 \* HAP<sup>con</sup> \* Mw<sub>hap</sub> = 19.33 lb/hr

CAPITAL COSTS

DIRECT COSTS

Purchased equipment costs

Refrigeration

Capital Cost, RCC = \$28,919 From Table 4.8-4, corrected to

April, 1992 dollars

Condenser

Capital Cost, CCC = \$5,836

From Figure 4.8-3, corrected to

April, 1992 dollars

Auxiliary Equipment

Cost, AEC = \$99,500

Parameter

Cost of Cooling

Liquid, T\$cool = \$1,520

Qc<sub>tot</sub> \* U\$cool

Total Equipment

Cost, A

= \$ ( RCC + CCC + AEC)

= \$135,775

Instrumentation

Cost, I = 0.10 \* A

= \$13,577

Sales Taxes, S

= 0.05 A= \$6,789

Freight, F = 0.05 \* A

## Page 5 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana

CP 097-3341 Plt. ID 097-00072 Review Engineer: Dr. T.P.Sinha

= \$6,789

Purchased

Equipment Costs,

B = \$ (A + -= \$ 162,930 = \$ (A + I + S + F)

#### Direct Installation Costs

Foundation and = 0.08B Supports = \$13,034

Handling and = 0.14BErection = \$22,810

Electrical = 0.08B= \$13,034

Piping = 0.02B= \$3,259

Insulation for = 0.10B ductwork = \$16,293

Painting = 0.01B = \$1,629

Direct

Installation = (Foundation and Supports + Handling and Costs, C

Erection + Electrical + Piping + Insulation

+ Painting) Costs

= \$70,060

Site Preparation,

D

Building Cost, E = \$0

TOTAL DIRECT COSTS= \$(B + C + D + E) = \$232,990

## INDIRECT COSTS (INSTALLATION)

Engineering = 0.10 B

#### Page 6 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana

CP 097-3341 Plt. ID 097-00072

Review Engineer: Dr. T.P.Sinha

42 1 2 L

= \$116,293

Construction = 0.05 Band field expense = \$8,146

Contractor Fees = 0.10 B

= \$16,293

Start-Up = 0.02 B

= \$3,259

Performance Test = 0.01 B

= \$1,629

Contingencies = 0.03 B

= \$4,888

TOTAL INDIRECT

COSTS

= (Engineering + Construction + Contractor

Fees + Start-Up + Performance Test +

Contingencies) costs

= \$ 50,508

TOTAL CAPITAL

= (TOTAL DIRECT COSTS

INVESTMENT (TCI)

+ TOTAL INDIRECT COSTS)

= \$(232,990 + 50,508)

= \$ 283,498

## DIRECT ANNUAL COSTS

System Pressure

Drop, P<sub>sys</sub>

= 5 inches

Parameter

Fan power

requirement,  $F_p = 23 \text{ kwh/yr}$  1.81E-04\*Qea\*P\*HRS

Refrigeration

power

requirement,  $R_p = 1588.88 \text{ kwh/yr} \text{ H}_{load} * \text{HRS} * 2.9E-04 \text{ kwh/btu/Er}$ 

Coolant pumping

requirement,  $P_p = 245.32 \text{ kwh/yr} [2.52 E-04 * Qcool/60/Sg * H *$ 

Sg/7.48/n] \* HRS \*0.748

From Table 4.6-8 of HAP manual

#### Page 7 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana

CP 097-3341 Plt. ID 097-00072

Review Engineer: Dr. T.P.Sinha

Annual

electricity cost = \$110

U\$elec \* (Fp + Rp + Pp)

Cost of Refrigerant= \$0

Operating costs

(a) Operating labor

= \$4,800 costs

[(0.5 hr/shift)/(8 hr/shift)]

\*(HRS)\* (\$hourly rate)

(b) Supervisory

Costs

= \$720

0.15\*(Operating labor costs)

Operating costs = \$(4,800 + 720)

= \$ 5,520

Maintenance cost

(a) Maintenance

labor costs

= \$4,800

[(0.5 hr/shift)/(8 hr/shift)]

\* (HRS) \* (\$hourly rate)

(b) Maintenace

materials

= \$4,800

1.0 \* (Maintenance labor costs)

Maintenance costs = \$(4,800 + 4,800)

= \$ 9,600

Disposal of

recovered HAP

= \$129

V<sub>hap</sub> \* ER \* 2000 \* RE

TOTAL DIRECT

ANNUAL COSTS

= (Electricity + Refrigerant + Operating + Maintenance + Disposal of recovered HAP)

Costs

= \$15,359

INDIRECT ANNUAL COSTS

Overhead

= 0.60 (Operating + Maintenance)

= \$9,072

Property Tax

= 1 percent of TCI

= \$2,835

#### Page 8 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana

CP 097-3341 Plt. ID 097-00072

Review Engineer: Dr. T.P.Sinha

Insurance

= 1 percent of TCI

= \$2,835

Administrative

= 1 percent of TCI

= \$5,670

Capital Recovery

= CRF \* TCI

= \$46,138

Total Indirect

costs

= (Overhead + Property Tax + Insurance +

Administrative + Capital Recovery) Costs

. en : en .

= \$66,550

TOTAL ANNUAL

COSTS

= TOTAL INDIRECT ANNUAL COSTS

+ TOTAL DIRECT ANNUAL COSTS

= \$(66,550 + 15,359)

= \$ 81,909

#### 1B. Absorption Control Technology

Average flow

rate, Q<sub>avg</sub>

= 10 scfm

Maximum flow

rate, Q<sub>e</sub>

= 10 scfm

Temperature, T<sub>e</sub>

 $= 77^{0}F$ 

HAP

= VOC

HAP concentration,

HAPe

= 185034 ppmv

Pressure, Pe

= 760 mm Hg

efficiency, RE

= 58.8%

Mol. wt. of emission

stream, Mwe = 70.87 lb/lb-mol

#### Page 9 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana

CP 097-3341 Plt. ID 097-00072 Review Engineer: Dr. T.P.Sinha

Solvent used = Water

Slope of equilibrium

curve, m = 2.64

from Perry's Handbook

Figure 14-14

Mol. Wt. of

solvent,  $Mw_{sol}$  = 18 lb/lb-mol

Disposal cost of

solvent, Dsc · = \$266/1,000 gals

Schmidt # in

gas, Scg = 1.24

Schmidt # in

liquid,  $S_{cl} = 804 U_1/(P_1*D_1)$ 

Solvent

density,  $D_1 = 62.18 \text{ lb/ft}^3$ 

Solvent

Viscosity,  $U_1 = 0.815$  cp Weast Pg. F-42

Absorption

factor, AF = 1.6 from HAP manual example case

Packing

constant, A = 28

Packing

constant, e = 0.74

Fraction of

Flooding  $V_{.,f} = 0.6$ 

Packing

constant, b = 3.82

Packing

constant, c = 0.41

Packing

constant, d = 0.45

## Page 10 of 35 Supplement to original submittal to EPA for SIP change

Eli Lilly and Company Indianapolis, Indiana

CP 097-3341 Plt. ID 097-00072

Review Engineer: Dr. T.P.Sinha

. . v. z z ~ ....

Packing

constant, Y = 0.0125

Packing

constant, s = 0.22

Packing

constant, g = 11.13

Packing

constant, r = 0.00295

Bed type = Single

Packing material

 $= $12.75/ft^3$ cost, P<sub>cost</sub>

Hours/yr = 2560

Electrical cost = \$0.059/kwh

Water cost = \$0.20/1,000 gals

Operating labor

cost = \$30/hr

Maintenance labor

cost = \$30/hr

CALCULATIONS

Gas stream

flow rate = 1.55 lb-mol/hr 0.155\*Qe

Liquid flow

rate,  $L_{mol}$ 

Liquid flow

rate,  $L_{gal}$ = 0.24 gal/min [Lmol \* Mwsol \* (1/Dl)\*

7.48]/60

Solvent flow

rate, L = 118 lb/hrMwsol \* Lmol